

MICROBIOLOGY INTERLABORATORY COMPARISONS TECHNICAL PROGRAM 2019

- * InterLaboratory Comparisons (ILC) organized by the Oenologues de France
- * 1 shipment of 2 wines contaminated at different levels
- * 1 bottle of 250ml per wine
- * Time to analyse the samples: 3 weeks
- * Publication of the report in 7 working days maximum

SPECIAL OFFER
NEW MICROBIOLOGY ILC
2019 REGISTRATION -15% OFF

SCHEDULE 2019

	JAN	FEB	MARCH	APR	MAY	JUNE	JULY - AUG	SEPT	OCT	NOV	DEC
19M-1										28 oct. → 15 nov.	
19M-2										28 oct. → 15 nov.	

ANALYTICAL PARAMETERS

Sample types	Testing scope	Analytical parameters	Results	Analytical methods
Still wines (white, rosé and red)	Microbiological analysis	Yeasts <i>Brettanomyces</i> yeasts Lactic acid bacteria Acetic acid bacteria	Quantitative determination expressed in UFC/ml	Count on Petri dishes qPCR

PRICE LIST 2019

Service	LABORATORY OUTSIDE FRANCE	
	LABORATORY WITH UOEF MEMBER ¹	LABORATORY WITHOUT UOEF MEMBER ²
CIL 19M-1 + CIL 19M-2 1 bottle of 250ml per wine	420 € net of tax -15%: 357 € net of tax	500 € net of tax -15%: 425 € net of tax

TO TAKE PART IN OUR INTERLABORATORY COMPARISONS, PLEASE COMPLETE AND RETURN THE REGISTRATION FORM, WITH THE PAYMENT.

SUBCONTRACTORS AND SUPPLIERS 2019

Bottling – Packaging:

IFV Nantes
Château de la Frémoire
44 120 Vertou

Reference laboratory:

IFV Nantes
Château de la Frémoire
44 120 Vertou

Shipment:

TNT National
☎ : +33 (0)825 033 033 - 🌐 : www.tnt.fr

TNT International
☎ : +33 (0)825 071 071 - 🌐 : www.tnt.fr

CONTACT DETAILS

EURL Oenologues de France

21-23, rue de Croulebarbe - 75 013 PARIS

☎ : +33 (0)1.58.52.20.20 - 📧 : chaine-analyses@oenologuesdefrance.fr

Marie ALSINA
OCIL Coordinator
Quality Manager

Philippe CAILLAUD
Statistician

Sophie PALLAS
Executive Director

Laurent MASSINI
Microbiologist
ILC Technical Manager

The information in this document may be modified.

Only the electronic version, available online on the EURL Oenologues de France website and sent by email, is valid (<http://analyse.oenologuesdefrance.fr/>).

¹ Laboratory with an UOEF member oenologist

² Laboratory with no UOEF member oenologist